

Monday, December 9th, 2024

Alloy	Fin	Gauge	Width	Length	Quantity
304	L BA	0.0150	48	120	1931
304	L BA	0.0150	48	120	1931
304	L BA	0.0150	48	120	1931
304	L BA	0.0150	48	120	1931
304	L BA	0.0150	48	120	1931
304	L BA	0.0150	48	120	1570
304	L BA	0.0150	48	120	1931
304	L BA	0.0150	48	120	1931
409	2D	0.0150	38.75		6505
430	BA	0.0150	48		4785
430	2D	0.0160	50		7960
439	2D	0.0160	37		6698
439	2D	0.0160	40		7870
301	2B PV C	0.0200	23.5		2220
304	BA	0.0210	27.7		5750
304	BA	0.0190	33.75		4210
430	BA	0.0180	36.4		9370
430	BA	0.0190	51.57		5390
436	2D	0.0192	19		2240
436	2D	0.0192	19		2340
439	2D	0.0189	24.645		6320
439	2D	0.0189	29.96		7130

439	BA	0.0197	41	96	1220
304	2B	0.0240	11.5		999
304	#3	0.0230	12		4665
304	#3	0.0230	12		3900
304	BA	0.0250	48		2645
430	2B	0.0280	17		5642
430	#4	0.0230	28.8		15200
430	#4	0.0230	29		14570
430	#4	0.0230	37.5		10350
430	#3	0.0250	60	120	700
430	#3	0.0250	60	120	4030
436	2D	0.0240	48		17240
436	2D	0.0240	53.1		21520
439	2D	0.0240	5		1954
439	2D	0.0240	43.4		33500
439	2D	0.0240	43.4		33160
439	2D	0.0240	43.41		33360
301	#4	0.0290	36		2912
301	BA	0.0280	48.8		1585
301	BA	0.0300	49	120	883
304	L #4	0.0320	48	96	165
304	#3	0.0300	48	96	1089
304	L #4	0.0291	59.44	120	3138
409	2D	0.0310	5.25		2300
409	2D	0.0290	23.125		18017
409	2D	0.0320	40.4		31360
409	2D	0.0310	40.625		31240
409	2D	0.0310	48.8		15860
409	2D	0.0310	48.8		16120
409	2D	0.0310	48.8		16340
430	#4	0.0280	6		1850

430	2B	0.0300	36	120	3397
430	2B	0.0300	36	120	2301
430	2B	0.0280	48	120	3375
430	BA	0.0280	51		3490
	L				
436	2D	0.0310	6.2		4159
	L				
436	2D	0.0310	27.795		11670
436	2D	0.0320	40.98		31100
436	2D	0.0310	42.09		30040
436	2D	0.0310	42.11		31820
439	2D	0.0300	11.75		5860
439	2D	0.0300	11.75		31330
439	2D	0.0280	36		3670
441	2D	0.0287	14.685		6134
441	2D	0.0287	14.685		6133
441	2D	0.0287	14.685		6133
441	2D	0.0310	36.69		23780
201	2B	0.0350	11.5		1956
201	#4	0.0345	18.9		1910
201	#4	0.0345	18.9		5045
304	2B	0.0350	15.5		2456
	L				
304	2B	0.0350	17.5	17.5	288
	L				
304	2B	0.0350	17.5	17.5	322
	L				
304	2B	0.0350	17.5	17.5	322
	L				
304	2B	0.0350	17.5	17.5	322
	L				
304	2B	0.0350	17.5	17.5	322

304	L 2B	0.0350	17.5	17.5	322
304	L 2B	0.0350	17.5	17.5	322
304	L 2B	0.0350	17.5	17.5	322
304	2D	0.0350	30		4020
304	2B	0.0350	44	19.75	913
304	2B	0.0350	44	19.75	913
304	2B	0.0350	44	19.75	913
304	2B	0.0350	44	19.75	493
409	2D	0.0340	3		906
409	2D	0.0350	3.9		2998
409	2D	0.0340	4		1299
409	2D	0.0350	5.25		1255
409	2D	0.0350	18.25		2300
409	2D	0.0350	18.25		2400
409	2D	0.0350	18.25		2200
409	2D	0.0350	18.25		2300
409	2D	0.0340	18.575		7350
409	2D	0.0350	23		1500
409	2D	0.0340	27.95		12590
409	2D	0.0350	39.85		1770
409	2D	0.0360	44.55		34280
409	2D	0.0360	47.56		16350
430	BA	0.0350	0.67		3201
430	#3	0.0345	5.75		690
430	#3	0.0345	5.75		690
430	#4	0.0340	29.556	49.44	869
430	#3	0.0350	36	120	4264
430	#3	0.0350	36	120	6487
430	2B	0.0350	48	120	2398
430	2B	0.0340	48		11580

430	2B	0.0340	48		8130
430	BA	0.0350	48		5760
430	2B	0.0350	60		10318
430	#4	0.0350	61		9070
304	L2B	0.0420	21.75	21.75	662
304	L2B	0.0420	21.75	21.75	662
409	ALU	0.0420	3.5		930
409	2D	0.0400	3.7		2805
409	2D	0.0400	3.7		2790
409	2D	0.0410	5		4104
409	2D	0.0410	5.25		955
409	2D	0.0400	5.312		2080
409	2D	0.0400	5.9		2230
409	2D	0.0400	5.9		4520
409	2D	0.0390	11		3265
409	2D	0.0390	12.95		3525
409	2D	0.0390	12.95		4870
409	2D	0.0390	12.95		4900
409	2D	0.0400	17.626		6730
409	2D	0.0380	20		15410
409	ALU	0.0420	26.562		1678
409	2D	0.0390	46		10890
409	2D	0.0390	49		9805
409	2D	0.0390	60		12620
430	2D	0.0400	47		4650
430	2B	0.0400	60		10110
430	2B	0.0400	60		8950
436	2D	0.0398	13.862		4250
436	2D	0.0398	13.862		11410
436	2D	0.0398	13.862		4250
436	2D	0.0390	14.44		5570

439	2D	0.0386	5.25		1395
439	2D	0.0400	19		6976
439	Pol	0.0390	47.9		8160
439	2D	0.0380	48	96	5822
439	Pol	0.0390	61		9220
441	#4	0.0380	12		5760
18	CrC b	0.0450	4.75		3125
18	CrC b 2D	0.0440	40.96		13740
201	#4	0.0460	48	62	572
301	#4	0.0440	7.25		2607
301	#4	0.0440	7.25		2530
301	#4	0.0440	7.25		2540
304	2B	0.0460	3.5		490
304	2B	0.0460	3.86		1705
304	L 2B	0.0480	4		975
304	2B	0.0460	5.75		215
304	#4	0.0490	6		1028
304	#3	0.0480	6.5		1544
304	L 2B	0.0480	7.5		999
304	2B	0.0460	7.625		750
304	2B	0.0460	9.25		3311
304	L 2B	0.0480	11		2081
304	L 2B	0.0480	11.069		2510
304	L 2B	0.0480	17		1340
304	2B	0.0480	21.75	21.75	662

304	2B	0.0480	21.75	21.75	662
304	2B	0.0480	21.75	21.75	66
	L				
304	2D	0.0460	24.5		2950
	L				
304	2B	0.0460	26	26	426
	L				
304	2B	0.0460	26	26	947
	L				
304	2B	0.0480	26	26	947
	L				
304	2B	0.0480	26	26	293
304	BA	0.0440	36		8890
	L				
304	2B	0.0460	36.25	70.75	2693
	L				
304	2B	0.0460	36.25		8410
	L				
304	2B	0.0460	36.25		8620
	L				
304	2B	0.0460	36.25	70.25	2693
	L				
304	2B	0.0460	36.25	70.25	718
	L				
304	2B	0.0460	36.25	70.75	1902
	L				
304	2B	0.0460	36.25	70.75	2693
304	2B	0.0460	44	19.75	1217
304	2B	0.0460	44	19.75	1217
304	2B	0.0460	44	19.75	1119
	L				
304	2B	0.0480	48		9281
	L				
316	2B	0.0460	9		895

316	L 2B	0.0510	13.74
316	L 2B	0.0480	13.9375
316	L 2B	0.0480	14
316	L 2B	0.0480	14
409	2D	0.0460	2
409	2D	0.0450	3.15
409	2D	0.0460	3.3123
409	2D	0.0450	3.5
409	2D	0.0450	4
409	2D	0.0480	6.125
409	2D	0.0460	6.99
409	2D	0.0470	7.5
409	2D	0.0470	7.5
409	2D	0.0440	8.1875
409	2D	0.0460	8.75
409	2B	0.0470	10
409	2D	0.0460	11.34
409	2D	0.0460	11.34
409	2D	0.0460	11.34
409	2D	0.0460	12.75
409	2D	0.0460	13.228
409	2D	0.0480	14.56
409	2D	0.0460	15.625
409	2D	0.0470	16.62
409	2D	0.0450	17.375
409	2D	0.0450	18.75
409	2D	0.0450	18.75
409	ALZ	0.0450	29.493
409	2D	0.0540	30.05

4248
2430
2156
2065
142
1750
631
396
671
1076
1710
1570
1723
591
724
2818
316
985
1255
2552
1311
11052
3045
11990
10150
4657
4583
3772
22980

409	2D	0.0540	30.05		23060
409	2D	0.0460	48	120	806
409	2D	0.0460	49.375		2910
409	2D	0.0490	61.9		3930
430	BA	0.0452	2.625		955
430	2D	0.0460	11		2129
430	#3	0.0460	36		12900
430	BA	0.0480	40		9075
430	BA	0.0460	48	120	229
430	#4	0.0480	60		6349
436	2D	0.0462	43		12310
436	2D	0.0462	43		12560
436	2D	0.0462	43		15640
439	2D	0.0440	21		15630
439	2D	0.0490	40.5		16000
439	2D	0.0490	41.41		33390
439	2D	0.0490	43.7		39030
439	2D	0.0470	48		6440
439	2D	0.0460	48	96	451
441	#4	0.0460	12		5265
18	CrC b	0.0571	5.564		2735
18	CrC b	0.0580	15		5167
18	CrC b	0.0580	15		5415
18	CrC b	0.0580	15		5216
18	CrC b	0.0580	15		5552
18	CrC b	0.0580	15		5135

18	CrC b	0.0580	15		5170
18	CrC b 2D	0.0560	40.73		26580
201	2B	0.0580	60		13210
201	2B	0.0580	60		9250
304	BA	0.0580	5.5		1625
304	2B	0.0580	6.5		1260
304	L 2B	0.0590	11.25		965
304	L 2B	0.0590	11.25		895
304	#3	0.0580	11.5		640
304	L 2B	0.0590	13.5		695
304	L 2B	0.0590	13.5		925
304	2B	0.0580	41	81.75	2053
304	L #4	0.0600	48	120	3156
304	L2B	0.0580	60		1510
304	2B	0.0600	60	120	1347
316	L 2B	0.0600	6.25		1205
316	L 2B	0.0580	7.25		575
316	L 2B	0.0580	48	120	3655
316	L 2B	0.0580	48	120	3495
316	L 2B	0.0580	48	120	3680

316	L				
316	2B	0.0580	48	120	3715
409	2D	0.0580	1.25		580
409	2D	0.0640	2		1132
409	2D	0.0570	2.5		908
409	2D	0.0570	2.5		874
409	2D	0.0540	3.5		2040
409	2D	0.0640	3.725		2826
409	2D	0.0580	3.75		1090
409	2D	0.0550	9.2		3095
409	2D	0.0600	10		1248
409	2D	0.0590	13.5		4896
409	2B	0.0575	36	48	8174
409	2D	0.0571	36	48	1512
409	2D	0.0571	36	48	1723
409	2D	0.0571	36	48	1512
409	2D	0.0580	36	48	588
409	2D	0.0571	36	50	1008
409	2D	0.0580	36	48	1708
430	BA	0.0575	11.5		146
430	BA	0.0575	11.5		2084
430	2B	0.0575	11.5		2840
430	2B	0.0580	18.32		7960
430	2B	0.0600	36		21560
430	2B	0.0600	36		21580
430	2B	0.0580	48		8270
430	2B	0.0600	49.11		31080
430	2B	0.0600	49.14		31000
430	2D	0.0580	51		14400
	L				
436	2B	0.0600	14.016		3439
439	2D	0.0580	2.5		964
439	2D	0.0580	2.5		955

439	2D	0.0590	3
439	2D	0.0630	3.5
439	2D	0.0640	6
439	2D	0.0550	7.937
439	2D	0.0570	16.44
439	2D	0.0570	16.44
439	2D	0.0580	16.5
439	2D	0.0580	16.5
439	2D	0.0550	17.5
439	2D	0.0600	17.7
439	2D	0.0583	29.05
439	2D	0.0600	29.125
439	2D	0.0590	30.51
439	2D	0.0610	33.45
439	2D	0.0600	49
439	2D	0.0570	61
441	2D	0.0660	22
	CrC b		
18	2D	0.0710	29.55
	CrC b		
18	2D	0.0710	29.55
	CrC b		
18	2D	0.0710	42.45
201	#4	0.0750	26.25
304	2B	0.0750	3.5
304	2D	0.0730	11.625
304	#3	0.0730	12.5
304	L #4	0.0730	23.5
304	2B	0.0680	23.7

927
2592
4599
4278
12375
12530
6304
6088
13560
3595
21540
21300
11510
24900
26960
10400
16900
16960
16960
27520
3294
535
2180
1767
788
2410

304	#3	0.0730	36	120	3496
304	L #4	0.0730	36		1207
304	L				
304	2B	0.0720	48	144	2268
304	2B	0.0730	48	120	3735
304	L #4	0.0730	48	144	2880
304	L				
304	2B	0.0720	48	144	2268
304	2B	0.0730	48	120	3735
304	2B	0.0730	48	120	4245
304	#3	0.0730	60		7270
304	#3	0.0730	60		10240
304	#3	0.0730	60		8680
304	L #4	0.0730	60.28		7819
409	2D	0.0725	9.34		2490
409	2D	0.0740	9.34		2625
409	2D	0.0730	9.35		2595
409	2D	0.0710	18		13350
409	2D	0.0720	20.5		5005
409	2D	0.0710	26.42		10070
409	14	0.0710	26.42		10110
409	14	0.0710	26.42		14350
409	2D	0.0730	48		2410
409	2D	0.0730	48	120	6097
430	2B	0.0730	48	120	641
439	2D	0.0700	2		1184
439	2D	0.0710	2		1550
439	2D	0.0700	2		1184
439	2D	0.0700	2		1185
439	2D	0.0700	2		1182

439	2D	0.0720	3.5		2649
439	2D	0.0690	3.5		2674
439	2D	0.0700	17		6541
439	2D	0.0700	17		6449
439	2D	0.0730	17.187		2654
439	2D	0.0730	26.65		15975
441	2D	0.0830	3.25		1098
	L				
304	2B	0.0870	2.5		320
304	2B	0.1020	2.75		845
304	L #3	0.1020	48	120	3360
304	L #3	0.1010	48	120	3176
304	L #3	0.1010	48	120	3351
	L				
304	2B	0.1000	49.96		5467
304	2B	0.1020	60	120	9200
430	2B	0.1020	60	96	1021
201	2B	0.1200	36		23149
304	2B	0.1160	1.081		290
304	2B	0.1160	15.48		3927
	L				
304	2D	0.1200	35.63		6900
304	2B	0.1160	48		1345
304	2D	0.1250	48	120	715
304	2B	0.1160	48		960
409	2D	0.1200	49		7920
430	2B	0.1190	50.49	92.5	1535
430	2B	0.1190	50.49	136.75	1380
430	2B	0.1190	50.49	92.5	1555
430	2B	0.1190	50.49	92.5	1545

201	HR AP	0.1380	61.53		15565
304	L 2B	0.1310	47	120	1999
304	L #3	0.1310	48		3530
304	2B	0.1310	48	120	2041
304	#3	0.1350	48		650
304	2B	0.1320	60	96	454
304	L 2B	0.1310	60		2270
304	#3	0.1310	60		7900
316	L 2B	0.1310	10.5		1195
316	L 2B	0.1310	10.5		1190
316	L 2B	0.1310	20.75		2240
316	L 2B	0.1310	26.5		3020
316	L 2B	0.1310	27.25		2980
316	L 2B	0.1310	60	120	5327
316	L 2B	0.1310	60		11750
316	L 2B	0.1310	60		15490
409	2D	0.1350	7.5		1740
409	2D	0.1350	7.5		1740
409	2D	0.1350	7.5		860
201	LN 2B	0.1510	36	120	1877
304	2B	0.1600	48		2380

